

AGES AND SUSCEPTIBILITY TO DISORDERS

NOTE: this is open to interpretation

Prenatal

Cerebral Palsy

Fetal Alcohol Syndrome

Neural-Tube Deficits (Spina bifida)

Down Syndrome

Infancy (0-5 years)

Autism

Epilepsy

ADD/ADHD

Antisocial Behavior

Dyslexia

Anxiety Disorders

Late Childhood (5-10 years)

Depression

Conduct Disorder

Antisocial Behavior

Dyslexia

Anxiety Disorders

Puberty (10-13 years)

Eating Disorders

Obsessive-Compulsive Disorders

Depression

Anxiety Disorders

Conduct Disorder

Adolescence (13-20 years)

Social Phobias

Agoraphobia

Panic Disorder

Bipolar Disorder

Depression

Anxiety Disorders

Eating Disorders

Obsessive-Compulsive Disorders

PEAK SUICIDE YEARS

Early Adulthood (20-30 years)

Postpartum Depression

Seasonal Affective Disorder

Schizophrenia

Social Phobias

Agoraphobia

Panic Disorder

Bipolar Disorder

Depression

Anxiety Disorders

PEAK SUICIDE YEARS (reduces)

Middle Age (30-60 years)

Parkinson's Disease

Huntington's Disease

Early-onset Alzheimer's

Menopause

Social Phobias (reduces)

Postpartum Depression

Schizophrenia (reduces)

Depression

Old Age (60-100 years)

Stroke

Alzheimer's Disease

Parkinson's Disease

Depression

PEAK SUICIDE YEARS